Richland Field Office P.O. Box 550 Richland, Washington 99352

93-RPB-125

FEB 2 6 1993

9302110

Mr. David B. Jansen, P.E. Hanford Project Manager State of Washington Department of Ecology P.O. Box 47600 Olympia, Washington 98504-7600

Dear Mr. Jansen:

HANFORD FACILITY DANGEROUS WASTE PART A PERMIT APPLICATION FORM 3, REVISION 2, FOR THE 204-AR WASTE UNLOADING STATION UNIT (WA7890008967) (TSD: T-2-3)

Enclosed is the 204-AR Waste Unloading Station (204-AR) Dangerous Waste Part A Permit Application (Part A) Form 3, Revision 2. The 204-AR is located in the 200 East Area of the Hanford Facility and is used to treat waste generated on the Hanford Facility before transfer to the Double-Shell Tank System.

The Form 3 has been revised to add Dangerous Waste Codes F001 (1,1,1-Trichloroethane) and F002 (methylene chloride). The addition of these dangerous waste codes is based on information indicating the presence of spent halogenated solvents resulting from crane decontamination operations at B Plant and decontamination operations at T Plant. These dangerous waste codes were added in compliance with the Washington Administrative Code 173-303-805. This regulation requires submittal of a revised Part A that includes any dangerous waste that has not been previously identified that might be treated, stored, or disposed of at an interim status unit.



Should you have any questions regarding the 204-AR Part A, Revision 2, please contact Mr. C. E. Clark of the U.S. Department of Energy, Richland Field Office on (509) 376-9333 or Ms. S. M. Price of the Westinghouse Hanford Company on (509) 376-1653.

Sincerely,

EAP: CEC

James D. Bauer, Program Manager Office of Environmental Assurance, Permits, and Policy DOE Richland Field Office

QE Level

R. E. Lerch, Deputy Director Restoration and Remediation Westinghouse Hanford Company

Enclosure: 204-AR Dangerous Waste Part A Permit Application Form 3, Revision 2

cc w/o encl:

R. C. Bowman, WHC

D. L. Duncan, EPA

G. W. Jackson, WHC

J. R. Kasper, WHC R. E. Lerch, WHC

T. M. Michelena, Ecology

Administrative Record, H4-22, w/encl.

D. C. Nylander, Ecology, w/encl.

Please print or type in the unshaded areas only

(fill-i	1 8/	ces	8/6	spaced for el	ite type, i.	e., 12	character/inch).														A 107 - 77		• • • •				
	пм 3			D.	ANGE	RO	US WAS	ST.	Ef	PE	RI	VII	ΙT	A	PP	L	IC.	ATIC	ON	w/	7 8 9	7 1		0 E	3 9	6	7
				USE ONLY	SIVED																						-
API	PPRO	ATIONE	DN D	(mo.,dey,													CC	MMENT	<u> </u>		_		_			_	
					1_1_																						
1L [IRS	10	A R	EVISED APPL	ICATION											_											
aopti	cati	on.	1E 1	the appropris his is your fir Section I abov	st applicati	or B	below (mark one i you already kn	ow '	x oni your	y) to facii	ind lity's	ical Ef	te w PA/S	heth TAT	er th E 1.0	his). I	is th	e first a ser, or if	pplication you ar This is a revised	e submitti applicatio	ing far you on, enter yo	r facil our fa	ity cili	or a ty's i	revi EPA/	STA	TE
Λ.	in:						and provide the																				
1		Ш	1.	EXISTING FA	CILITY (Se Co	e instr mplete	uctions for defin item below.)	itiar	1 0/	exi:	ting	- 74	acili)	ťγ.					2. NEW F	ACILITY	(Complete :						
	MO. DAY YR. FOR EXISTING FACILITIES, PROVIDE THE DATE (mo., day, & yr.) O 2 0 2 8 2 OPERATION BEGAN OR THE DATE CONSTRUCTION COMMENCED																										
В.	REVISED APPLICATION (place an "X" below and complete Section I above) [X] 1. FACILITY HAS AN INTERIM STATUS PERMIT [] 2. FACILITY HAS A FINAL PERMIT																										
III.	II. PROCESSES - CODES AND CAPACITIES A. PROCESS CODE - Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering																										
			11	ore lines are	caadad as	Mar ins	e codeisi in line :	to ac) VICI	BCI.	11 8	a Dro	COBE	bes will	90	ch p	rocess to	o be used at the s not included in	facility. the list of	Ten lines a I codes bek	re pro ow, ti	vid har	ed fo	cribe	terio the	na
1	roc	946	(ine	duding its de:	ign capaci	ity) in t	the space provid	ed o	n the	15	ectio	in (i	II-GI	•													
						each o	ode entered in o	olur	mn A	ent	er th	1er (capa	icity	of th	ne .	proc	968.									
1				T - Enter the a			antered in anter-		/11 -		, ,,,		ula i	ire-	the	li	, AF -	mit men	sure codes belov	, that de-	cribes the	unit -	ıf	76 P = *	ne i	أمهوا	
1	. U	niy	OF the	MEASURE - I units of mean	ture that a	re liste	entered in colum d below should APPROPRIAT	be u	sed.		r t ne	· c0	×36	irom	(11 0	116	. 01 (aure codet onlov								
١.				ROCESS	Ċ	RO- ESS ODE	MEASURE FO DESIGN C)A P	noci	ESS	_			PRO- APPROPRIATE UNITS OF CESS MEASURE FOR PROCESS CODE DESIGN CAPACITY Treatment:													
		age:		lbarrel dece	n stal	SOT	GALLONS OR I	jTE!	RS								Treat			TC)t GALL	ONS I	PEF	ACI F	y OI	R	
	۱۸۸			i (barrei, drun E	•	502 503	GALLONS OR I	JITEI OR	RŠ										IPOUNDMENT	TC	UTER 22 GALL	IS PEF	PEF	AY 1 DA	Y 01		
4				L MPOUNDMEN		504	CUBIC METERS	S LITERS PER DAY																			
(Disp	018	:																		GALL	IIC TO ONS IS PET	PEF	он ғ	UR (OR:	
		CTI		WELL		080 180	GALLONS OR (the	ŧ					,	отн	ER (Use	for physical, che	mical, TO	04 GALL	ONS	PEF	A DA		R	
'		"	-				would cover or depth of one fo	e ec	cre to		-					1	therr proc	nai or bi	ological treatmen ot occurring in ta	it nks,		is Per					
	AN	O A	PPt	ICATION		082	ON HECTARE-I	METI CTAI	RES								atori	. Descr	undments or inci	s in							
1	OCE	AN	DIS	POSAL		D83	GALLONS PER LITERS PER DA	١Y								1	ine i	peca pro	ovided; Section I	H-C.)							
1	SUF	rAC	اعد	MPOUNDMEN		D84 NIT OF	GALLONS OR I	LIIE	no								U	NIT OF							UN	IT O	F
,	JNF	T OF	M	EASURE	ME	EASUR CODE			UNIT	r of	ME.	A\$1	URE				М	ASURE		UNIT OF	MEASURE				MEA		RE
;	GAL	LON	15.				_ Ģ		LITE	RS I	ER :	DΑ	Y					<u>v</u>	•	ACRE-FE	ET			• • • •			è
	LITE	RS .	'nή	oś			L Y C		MET	S PI RIC	R H	is i	PER	HÓU	Ŕ.		• • •	Ď		ACRES.	E-METER . ES						8
	SAL	TOV	IS I	ERS ER DAY					LITE	RS I	*ER	но	UR.					н								• • •	
				hoid 200 g	FOR COMP	the of	3 SECTION III is. her can hold 400	how gai	n in i ions.	ine T	num e le	d <i>er</i> cilit	ra X ty a	-1 en	4 X	-2 / n is	ncini	v): A fa	ecility has two street can burn up to	prage tan. 20 gailo	ks, one ten ne per hou	k can r.	_		.		
N	A	pr CES	10-	Е	. PROCES	S OES	IGN CAPACITY	_			-	OR			N A	ليوا	PRO		8. PROCES	S DESIGI	CAPACIT		_		1	FC	R
LANGE	11	CES COO com bov	E list		1. AN (spe	IOUNT cify)		OF	UNI ME/ SURE anter	•	OFF	ICI ISE NL'	AL	N E		ron	SS OE n list ovel			IOUNT cify)		d	SL /er	UNIT MEA- IRE Har del	٥		CIAL
x-1 S O 2 600									G	-	Ţ	T	T	5	+	T	T	 				\dashv	Ŧ	Ť			
x-2 T 0 3 20									E	\dagger	+	\dagger	十	6	+	+	+						+	\dagger		П	+
, T 0 4 50,000									U	\dagger	\dagger	\dagger	+-	7	+	+	\dagger						1	_			
2														8													
3	T	T					· · · · · · · · · · · · · · · · · · ·					Ī	T	9		T							T	T			
4	十	\vdash	H					十	† †	\dashv	+	\dagger	+	10	<u>,</u>	\dagger	\top	 	71			_	\dagger	\top	T	П	
\vdash	_ـــــــــــــــــــــــــــــــــــــ			1				ــــــــــــــــــــــــــــــــــــــ	11		_L	<u>.L</u>				_L		<u> </u>				L				Щ	 _

Continued from the front

III. ITROCESSES (continued)

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code "TO4"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

T04

The 204-AR Waste Unloading Station receives liquid mixed waste transported in 20,000-gallon (76,000-liter) capacity railroad tank cars or in 5,000 gallon (18,900 liter) tank trucks. Mixed waste is generated from decontamination and regeneration operations in the 100 and 200 Areas; from recovery, fuels fabrication, and laboratory operations in the 200 and 300 Areas; and from decontamination operations in the 400 Area. The liquid mixed waste is transferred to the Double-Shell Tank (DST) System. The waste is chemically adjusted in-line during pumpout to meet DST System corrosion specifications. The in-line treatment design capacity (under item III.B.1.) of 50,000 gallons (189,000 liters) per day includes two railroad tank cars at 20,000 gallons (76,000 liters) each and an additional 10,000 gallons (38,000 liters) of liquid waste generated as a result of flushing the system.

IV. DESCRIPTION OF DANGEROUS WA

- DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will hendle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column 8 enter the unit of measure code. Units of measure which must be used and the appropriate codes

ENGLISH UNIT OF MEASURE CODE	METRIC UNIT OF MEASURE	CODE
POUNDS	KILOGRAMS METRIC TONS	

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1 PROCESS CODES:

ECL30 - 271 - ECY 030-31 Form 3

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. (I more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- In column A of the next line enter the other Dangerous Weste Number that can be used to describe the waste. In column D(2) on that line enter "Included with above" and make no other entries on that line.
- Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tenning and finishing operation. In addition, the facility will treat and dispose of three non-listed westes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

																		D. PROCESSES					
L X E			•	8. ESTIMATED ANNUAL QUANTITY OF WASTE	C. U OF M SUI /ent		.	1. PROCESS CODES (enter)									3			2. PROCESS DESCRIPTION (if a code is not entered in D(1))			
X-	7	ĸ	0	5	Ţ.	,	900		Р		τ^{\top}	σ,	3	o	8	0		Ī	Γ		1	T	
X-	2 1	0	0	o		?	400		ρ		r^{1}	o T.	3	ס	8	0		Γ	I		Γ	I	
х.	3 1	0	o	0	1	7	100		ρ		τ^{\perp}	o^{\top}	3	٦	8	0		1			1	1	
X -	4	0	0	o	1	7					τ^{\top}	o :	3	o	8	0		I	Γ		İ	I	included with above

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 B 9 O O O B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION 1. PROCESS CODES (if a cade is not entered in D(1)) (enter code) Treatment-Other-Chemical Treatment Р T04 15,600,000 0 0 D 0 0 2 3 ס מ 0 D 0 0 5 7 IT D 0 0 8 9 biololg D 0 1 0 0 0 1 \Box D 011 8 ון | ס | ס | בי 9 0 0 2 2 15 0 2 8 D 16 2 9 D 0 17 3 0 מו 0 D 03 3 19 3 D 10 20 3 5 ס ו ס 0 0 3 6 003 8 0 0 3 9 D 0 4 0 25 D 0 4 26 D CONTINUE ON REVERSE

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER lentered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE lenter A.
N DANGEROUS
O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION ianteri (if a code is not entered in D(1)) lenter code codel TT T04 WITOI Р 15,600,000 Treatment-Other-Chemical Treatment TO C l ol |c|o|2 W |W|P|O|1 W P 0 2 lolol 1 8 F | 0 | 0 | 2 0 0 3 10 ١F 10 0 4 |F | 0 | 0 | 5 Included With Above 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26

Continued from the front.

IV.	DESCRIPTION	OF I	DAI	NGERO	US	WA	STES	(continued)

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION DILL ON PAGE J.

The 204-AR Waste Unloading Station is used for the treatment of liquid mixed waste that might exhibit the characteristic of corrosivity (D002, pH greater than or equal to 12.5) following the addition of caustic chemicals (sodium hydroxide and sodium nitrite). The waste is treated in-line at the 204-AR Waste Unloading Station to make the waste amenable for storage in the DST System.

The waste identified in Section IV.A has the potential for being transported to the 204-AR Waste Unloading Station, treated, and transferred to the DST System. The mixed waste consists of listed waste, characteristic waste, toxic constituents, and state-only waste (extremely hazardous and dangerous waste).

1		
V. FACILITY DRAWING		
All existing facilities must include in the space provided on	page 5 a scale drawing of the facility (see instruction	s for more detail.
VI. PHOTOGRAPHS		
All existing facilities must include photographs (serief or gro- sites of future storage, treatment or disposal areas (see mat		e; existing storage, treatment and disposed areas; and
VII, FACILITY GEOGRAPHIC LOCATION The	s information is provided on the al	ttached drawings and photos.
LATITUDE (degrees, minutes, & secon	LONG	ITUDE (degrees, minutos, & seconds)
├ ┴╬┸╬┸╬		┝┸┸┩┸┩
VIIL FACILITY OWNER		
A. If the fecility owner is also the fecility operator so list below.	ed in Section VII on Form 1, "General information", p	place an "X" in the box to the left and skip to Section IX
B. If the fecility owner is not the facility operator as lists	od in Section VII on Form 1, complete the following it	ieme:
1. NAME OF	FACILITY'S LEGAL OWNER	2. PHONE NO. large code & ne.)
	<u> </u>	
J. STREET OR P.O. BOX	4. CITY OR TOWN	5. ST. 6. ZIP CODE
THE PROPERTY OF THE PARTY OF TH		· · · · · · · · · · · · · · · · · · ·
		┖ ┸┸┸┸┸┩
IX. OWNER CERTIFICATION		
I certify under penalty of law that I have personally examined inquiry of those individuals immediately responsible for obtain there are significant penalties for submitting false information	f and am lamiliar with the information submitted in th ning the information. I believe that the submitted info n. including the possibility of line and imprisonment.	is end all ettached documents, and thet based on my ormation is true, accurate, and complete. I am ewere thet
NAME (print or type)	SIRNATURE /	DATE SIGNED
John D. Wagoner, Manager U.S. Department of Energy	1/1/2 1/1/1/20	1 /01/03
Richland Field Office	WMW W. WOKMI	V 12/26/95
X. OPERATOR CERTIFICATION	// // // // // // // // // // // // //	
I cartify under penalty of law that I have personally examined inquiry of those individuals immediately responsible for obtain there are significant penalties for submitting false information	and the information. I believe that the submitted info	
NAME (print or type)	SIGNATURE	DATE SIGNED
SEE ATTACHMENT	Same Park]
FCI 30 - 271 - ECY 030-31 Form 3	PAGE 4 OF S	CONTINUE ON PAGE 5

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Owner/Operator

John D. Wagoner, Manager U.S. Department of Energy


Richland Field Office

Co-operator

Thomas M. Anderson, President Westinghouse Hanford Company Date | 195


2/4/93

204-AR Building Waste Unloading Station Site Plan




204-AR Waste Unloading Static Rev. 2, 02/26/93, Page 7 of i

204-AR WASTE UNLOADING STATION CUTAWAY VIEW



2P\$8710-88


204-AR WASTE UNLOADING STATION



46°33'09" 119°31'09"

8706421-18CN (PHOTO TAKEN 1987)

204-AR WASTE UNLOADING STATION -INTERNAL VIEW



TYPICAL RAILROAD TANK CAR UNLOADING

46°33'09" 119°31'09"

8706421-16CN (PHOTO TAKEN 1987)

CORRESPONDENCE DISTRIBUTION COVERSHEET

Author

Addressee

Correspondence No.

J. D. Bauer, RL R. E. Lerch, WHC D. B. Jansen, Ecology

Incoming 9302110 Xref 9350890D

(D. G. Saueressig, WHC)

Subject:

S

HANFORD FACILITY DANGEROUS WASTE PART A PERMIT APPLICATION FORM 3,

REVISION 2, FOR THE 204-AR WASTE UNLOADING STATION UNIT

(WA7890008967) (TSD: T-2-3)

INTERNAL DISTRIBUTION

Approval	Date	Name	Location	
		Correspondence Control	A3-01	χ
		B. A. Austin	B2-35	Х
		G. T. Berlin	R1-51	Х
		R. C. Bowman	H6-24	χ
		G. D. Carpenter	H6-30	χ
		L. P. Diediker	T1-30	χ
		C. K. DiSibio	B3-15	Χ
		R. A. Dodd	R1-51	Х
		B. G. Erlandson	H6-21	χ
		D. G. Farwick	H4-16	χ
		D. G. Hamrick	R1-51	χ
		G. W. Jackson, Assignee	H6-21	χ
		J. R. Kasper	R2-50	χ
		R. J. Landon	H6-22	χ
		R. E. Lerch	B3-63	χ
		P. J. Mackey	B3-15	χ
		H. E. McGuire, Level 1	B3-63	χ
		S. M. Price	H6-23	Х
		D. G. Saueressig	H6-24	X
		S. A. Thompson	H6-24	χ
		J. F. Williams Jr.	H6-24	X
		EDMC	H6-08 .	Х
		RCRA File/GHL	H6-23	χ
		DGS File/LB	H6-24	X